
DESIGN NO. TRC/PH 180-01 HORIZONTAL (FLOOR), F RATING - 3 HRS, T RATING - 15 MINUTES; ANNULAR SPACING - 0 TO 3-1/4" TEST PRESSURE DIFFERENTIAL - 2.5 Pa (0.01" OF WATER) MINIMUM



Manufacturer's Designation: 950 CF-9.

- 1. Floor: Nominal 4-1/2" thick steel or thicker slab with a 17" diameter opening.
- 2. Penetrations: 1) 10" I.D. Steel Pipe Schedule 10S.
- 3. Caulking Compound or Filler Material:
 - a) 1/2" Metalines, Inc. Metacaulk* 950.
 - b) Metalines, Inc. Metacaulk 950 Bead. Put a bead of Metacaulk* 950 around pipe perimeter where there is no annuli.
- 4. Insulation: Foam Backing Material

*Component bearing the Warnock Hersey Certification Mark