Product Certification Listing

CERTIFIED BY INTERTEK

PCL - 0102

Issue Date: February 24, 2022 Revision Date: February 24, 2022



Company:	Kaycan Ltd. 402 Boyer Circle Williston, VT 05495 (802) 848-7010	Kaycan Ltd. Insulated Vinyl Siding products are extruded, foam backed rigid PVC siding conforming to ASTM D7793, as exterior wall covering.	
1. LISTING			
Listing Ref: Category: CSI Section:	Intertek Spec ID: 66256 Insulated Vinyl Siding 07 46 33 Plastic Siding	Standards:	ASTM D7793-21 Standard Specification for Insulated Vinyl Siding
Certification Scheme:	VSI Product Certification Program Vinyl Siding Institute, Inc.		

2. PRODUCTS

Certified Products and Standard Design Pressure Rating ¹						
Brand	Product	Style	Design Pressure (PSF)	Thermal Insulation Value (R-value)		
Kaycan	Richmond Ultra	Double 6	91	2.15		

1. Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 2-1/2-inch long, 0.125-inch shank diameter nail with a 7/16-inch head diameter. Spacing shall be 16" o.c. for horizontal siding and penetrating wood framing.

Identification: Products covered by this listing are identified with labels that include the following:

Kaycan Ltd. Production lot identification VSI certification mark Product Certification Listing (PCL) No, standards and related ratings

Certified By Intertek:

ASTM D7793 R=2.15 Std Design Pressure Rating: ## PSF (ASD)



This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name, one of its marks or the VSI mark for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Page 1 of 1





PCA-101

1800 Diagonal Road, Suite 545 Alexandria, VA 22314 vinylsiding.org

VSI-PCP-PCL: [June 21, 2021]