

Product Certification Listing

CERTIFIED BY INTERTEK



PCL - 0302

Issue Date: April 11, 2022

Revision Date: April 11, 2022

Company: Westlake Royal Building Products
1550 Universal Road
Columbus, OH 43207

Westlake Royal Building Products insulated vinyl siding products are extruded, rigid PVC foam backed siding conforming to ASTM D7793; used as exterior wall covering.

1. LISTING

Listing Ref: Intertek Spec ID: 66214
Category: Insulated Vinyl Siding
CSI Section: 07 46 33 Plastic Siding
Certification Scheme: VSI Product Certification Program
Vinyl Siding Institute, Inc.

Standards: **ASTM D7793-21** Standard Specification for Rigid Poly (Vinyl Chloride) (PVC) Siding
ASTM E119-20 Standard Test Methods for Fire Tests of Building Construction and Materials

2. PRODUCTS

Certified Products and Standard Design Pressure Rating

Brand	Product Family	Product Code	Product Style	Design Pressure (PSF)	Thermal Insulation Value (R-value)
Royal	Haven	HAVD6	Double 6" Traditional ⁽¹⁾	71	2.21
		HAVBB10	Double 10" Board & Batten ⁽²⁾	44	2.08
		HAVD712	Double 7" Traditional- Wire ⁽¹⁾	71	2.42
Exterior Portfolio	CraneBoard	TMT6IP	Triple 6" Traditional-Molded ⁽¹⁾	58	2.21
		TMD7IP	Double 7" Traditional- Molded ⁽¹⁾	62	2.41
		D10BBIP	Double 10" Board & Batten ⁽²⁾	44	2.14
		TMQ4IP	Quad 4" Traditional ⁽¹⁾	51	2.57
		TMQ45IP	Quad 4.5" Dutchlap ⁽¹⁾	51	2.74

1. Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 2-1/2-inch long, 0.12-inch shank diameter nail with a 7/16-inch head diameter. Spacing shall be 16 inches o.c. for horizontal siding and penetrating SPF wood framing.

2. Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 1-1/2-inch long, 0.12-inch shank diameter nail with a 7/16-inch head diameter. Spacing shall be 16 inches o.c. for horizontal siding and penetrating SPF wood framing.

Product Certification Listing

CERTIFIED BY INTERTEK



PCL - 0302

Issue Date: April 11, 2022

Revision Date: April 11, 2022

Additional Properties Evaluated

Property	Test Standard	Rating	Assembly Description
Fire Resistance	ASTM E119	One-Hour Fire-Resistance-Rated Assembly	See Intertek Design No. WRBP/PS 60-02

Identification: Products covered by this listing are identified with labels that include the following:

Westlake Royal Building Products

Production date codes

VSI certification mark

Product Certification Listing (PCL) No, standards and related ratings

Certified By Intertek:

ASTM D7793

R=#.##

Std Design Pressure Rating:

PSF (ASD)

ASTM E119

1 HR



CERTIFICATION PROGRAM

PCL-0302

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name, one of its marks or the VSI mark for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Page 2 of 2

VSI-PCP-PCL: [June 21, 2021]

1800 Diagonal Road, Suite 545
Alexandria, VA 22314
vinylsiding.org

Intertek
545 E. Algonquin Road
Arlington Heights, IL 60005



PCA-101