Product Certification Listing

CERTIFIED BY INTERTEK

PCL - 0305

Issue Date: October 27, 2022 Revision Date: October 27, 2022



Company:	Westlake Royal Building Products 2801 Post Oak Blvd Suite 600 Houston, TX 77056	Portsmouth Shake and Shingle Polypropylene Siding products are molded, polypropylene siding conforming to ASTM D7254, as exterior wall covering.

1. LISTING

Listing Ref:	Intertek Spec ID: 66214
Category:	Polypropylene Siding
CSI Section:	07 46 33 Plastic Siding
Certification Scheme:	VSI Product Certification Program Vinyl Siding Institute, Inc.

Standards: ASTM D7254-21 Standard Specification for Polypropylene (PP) Siding

2. PRODUCTS

Certified Products and Standard Design Pressure Rating

Brand	Product	Style	Design Pressure (PSF)
	Cedar Shingles	Double 7 ⁽¹⁾	114
Portsmouth Shake and Shingle		Single 7 ⁽¹⁾	114
		Single 9 ⁽¹⁾	114

(1) Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 1-1/2-inch long, 1/8-inch shank diameter nail with a 3/8-inch head diameter. Spacing shall be 16 inches o.c. for horizontal siding and penetrating wood studs.

Identification: Products covered by this listing are identified with labels that include the following:

Westlake Royal Building Products Production date codes VSI certification mark Product Certification Listing (PCL) No, standards and related ratings

Certified By Intertek: ASTM D7254 Std Design Pressure Rating: ## PSF (ASD)



This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name, one of its marks or the VSI mark for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Page 1 of 1

VSI-PCP-PCL: [June 21, 2021]

1800 Diagonal Road, Suite 545 Alexandria, VA 22314 vinylsiding.org

Intertek 545 E. Algonquin Road Arlington Heights, IL 60005



PCA-101