

Product Certification Listing

CERTIFIED BY INTERTEK



PCL – 0604

Issue Date: August 23, 2022

Revision Date: August 23, 2022

Company: Associated Materials, Inc.
3773 State Road
Cuyahoga Falls, OH 44223

Associated Materials Alside, Gentek and Revere Polypropylene Siding products are molded, polypropylene siding conforming to ASTM D7254, as exterior wall covering.

1. LISTING

Listing Ref: Intertek Spec ID: 66965
Category: Polypropylene Siding
CSI Section: 07 46 33 Plastic Siding

Standards: ASTM D7254-21 Standard Specification for Polypropylene (PP) Siding

Certification Scheme: VSI Product Certification Program
Vinyl Siding Institute, Inc.

2. PRODUCTS

Certified Products and Standard Design Pressure Rating

Brand	Product	Style	Design Pressure (PSF)
Alside	Pelican Bay One	Cape Cod Shingle ⁽¹⁾	83
		Traditional Shake ⁽¹⁾	138
		Hand-split Shake ⁽²⁾	83
		Scallop ⁽²⁾	101
Gentek	Fair Haven Sound	Cape Cod Shingle ⁽¹⁾	83
		Traditional Shake ⁽¹⁾	138
		Hand-split Shake ⁽²⁾	83
		Scallop ⁽²⁾	101
Revere Building Products	Harbor Point Single Select	Cape Cod Shingle ⁽¹⁾	83
		Traditional Shake ⁽¹⁾	138
		Hand-split Shake ⁽²⁾	83
		Scallop ⁽²⁾	101

(1) Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 2-1/2-inch long, 1/8-inch shank diameter nail with a 7/16-inch head diameter. Spacing shall be 16 inches o.c. for horizontal siding with every nail penetrating wood framing.

(2) Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 2-1/2-inch long, 1/8-inch ring shank diameter nail with a 7/16-inch head diameter. Spacing shall be 16 inches o.c. for horizontal siding with every nail penetrating wood framing.

Product Certification Listing

CERTIFIED BY INTERTEK

PCL – 0604

Issue Date: August 23, 2022

Revision Date: August 23, 2022



Identification: Products covered by this listing are identified with labels that include the following:

Associated Materials, Inc.
Production lot identification
VSI certification mark
Product Certification Listing (PCL) No, standards and related ratings

Certified By Intertek:

ASTM D7254

Std Design Pressure Rating:

PSF (ASD)



CERTIFICATION PROGRAM

PCL-0604

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name, one of its marks or the VSI mark for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

VSI-PCP-PCL: [June 21, 2021]

1800 Diagonal Road, Suite 545
Alexandria, VA 22314
vinylsiding.org

Intertek
545 E. Algonquin Road
Arlington Heights, IL 60005

