

Product Certification Listing

CERTIFIED BY INTERTEK



PCL - 0602

Issue Date: June 28, 2022

Revision Date: September 23, 2024

Company: Associated Materials LLC
3773 State Road
Cuyahoga Falls, OH 44223
(330) 922-5384

Associated Materials Insulated Siding products are extruded, foam backed rigid PVC siding conforming to ASTM D7793, as exterior wall covering.

1. LISTING

Listing Ref: Intertek Spec ID: 66965
Category: Insulated Vinyl Siding
CSI Section: 07 46 33 Plastic Siding

Standards: ASTM D7793-21 Standard Specification for Insulated Vinyl Siding

Certification Scheme: VSI Product Certification Program
Vinyl Siding Institute, Inc.

2. PRODUCTS

Certified Products and Standard Design Pressure Rating

Brand	Product	Style	Design Pressure (PSF)	Thermal Insulation Value (R-value)
Alside	Prodigy	Double 5 Dutchlap ⁽¹⁾	67	3.02
		Double 6 Clapboard ⁽¹⁾	67	2.63

1. Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 1-1/2-inch long, 1/8-inch shank diameter nail with a 7/16-inch head diameter. Spacing shall be 16 inches o.c. for horizontal siding and penetrating wood framing.

Identification: Products covered by this listing are identified with labels that include the following:

Associated Materials LLC
Production lot identification
VSI certification mark
Product Certification Listing (PCL) No, standards and related ratings

Certified By Intertek:
ASTM D7793
R=#.##
Std Design Pressure Rating:
PSF (ASD)



CERTIFICATION PROGRAM
PCL-0602

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name, one of its marks or the VSI mark for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Page 1 of 1

VSI-PCP-PCL: [June 21, 2021]

1800 Diagonal Road, Suite 545
Alexandria, VA 22314
vinylsiding.org

Intertek
545 E. Algonquin Road
Arlington Heights, IL 60005

