

# Product Certification Listing

CERTIFIED BY INTERTEK



## PCL - 0305

Issue Date: October 27, 2022

Revision Date: March 9, 2026

**Company:** Westlake Royal Building Products  
2801 Post Oak Blvd  
Suite 600  
Houston, TX 77056

Portsmouth Shake and Shingle Polypropylene Siding products are molded, polypropylene siding conforming to ASTM D7254, as exterior wall covering.

### 1. LISTING

**Listing Ref:** Intertek Spec ID: 66214  
**Category:** Polypropylene Siding  
**CSI Section:** 07 46 33 Plastic Siding  
**Certification Scheme:** VSI Product Certification Program  
Polymeric Exterior Products Association

**Standards:** **ASTM D7254-21** Standard Specification for Polypropylene (PP) Siding  
**CAN/ULC S102.2:18** Standard Method of Test for Surface Burning Characteristics of Flooring, Floor Coverings, and Miscellaneous Materials and Assemblies

### 2. PRODUCTS

#### Certified Products and Standard Design Pressure Ratings

Brand	Product	Style	Design Pressure PSF (kPa)
Portsmouth Shake and Shingle	Cedar Shingles	Double 7	114 (786) <sup>1</sup>
		Single 7	114 (786) <sup>1</sup>
		Single 9	114 (786) <sup>1</sup>
	Portsmouth	T5 Shingle	167 (1151) <sup>2</sup>

- Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 1-1/2-inch long, 1/8-inch shank diameter nail with a 3/8-inch head diameter. Spacing shall be 16 inches o.c. for horizontal siding and penetrating wood studs.
- Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 1-1/2-inch long, 1/8-inch shank diameter nail with a 3/8-inch head diameter. Spacing shall be 16 inches o.c. for horizontal siding and penetrating wood studs.

#### Additional Properties Evaluated

Property	Test Standard	Rating	Assembly Description
Surface Burning	CAN/ULC S102.2	Flame Spread $\leq$ 200 Smoke Developed $\leq$ 450	Polypropylene Siding

# Product Certification Listing

CERTIFIED BY INTERTEK



## PCL - 0305

**Issue Date:** October 27, 2022

**Revision Date:** March 9, 2026

**Identification:** Products covered by this listing are identified with labels that include the following:

Westlake Royal Building Products

Production lot identification

VSI Certification Mark

Product Certification Listing (PCL) No, standards and related ratings

**Certified By Intertek:**

ASTM D7254

Std Design Pressure Rating:

## PSF (ASD)



CERTIFICATION PROGRAM

**PCL-0305**

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name, one of its marks or the VSI mark for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Page 2 of 2

VSI-PCP-PCL: [April 28, 2025]

1800 Diagonal Road, Suite 545  
Alexandria, VA 22314  
polymericexteriors.org

Intertek  
545 E. Algonquin Road  
Arlington Heights, IL 60005



ACCREDITED  
Product Certification  
Agency

PCA-101