

Product Certification Listing

CERTIFIED BY INTERTEK



PCL - 0305

Issue Date: October 27, 2022

Revision Date: March 9, 2026

Company: Westlake Royal Building Products
2801 Post Oak Blvd
Suite 600
Houston, TX 77056

Portsmouth Shake and Shingle Polypropylene Siding products are molded, polypropylene siding conforming to ASTM D7254, as exterior wall covering.

1. LISTING

Listing Ref: Intertek Spec ID: 66214
Category: Polypropylene Siding
CSI Section: 07 46 33 Plastic Siding
Certification Scheme: VSI Product Certification Program
Polymeric Exterior Products Association

Standards: **ASTM D7254-21** Standard Specification for Polypropylene (PP) Siding
CAN/ULC S102.2:18 Standard Method of Test for Surface Burning Characteristics of Flooring, Floor Coverings, and Miscellaneous Materials and Assemblies

2. PRODUCTS

Certified Products and Standard Design Pressure Ratings

Brand	Product	Style	Design Pressure PSF (kPa)
Portsmouth Shake and Shingle	Cedar Shingles	Double 7	114 (786) ¹
		Single 7	114 (786) ¹
		Single 9	114 (786) ¹
	Portsmouth	T5 Shingle	167 (1151) ²

- Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 1-1/2-inch long, 1/8-inch shank diameter nail with a 3/8-inch head diameter. Spacing shall be 16 inches o.c. for horizontal siding and penetrating wood studs.
- Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 1-1/2-inch long, 1/8-inch shank diameter nail with a 3/8-inch head diameter. Spacing shall be 16 inches o.c. for horizontal siding and penetrating wood studs.

Additional Properties Evaluated

Property	Test Standard	Rating	Assembly Description
Surface Burning	CAN/ULC S102.2	Flame Spread $\leq$ 200 Smoke Developed $\leq$ 450	Polypropylene Siding

Product Certification Listing

CERTIFIED BY INTERTEK

PCL - 0305

Issue Date: October 27, 2022

Revision Date: March 9, 2026



PEPA
Polymeric Exterior Products Association

Identification: Products covered by this listing are identified with labels that include the following:

Westlake Royal Building Products

Production lot identification

VSI Certification Mark

Product Certification Listing (PCL) No, standards and related ratings

Certified By Intertek:

ASTM D7254

Std Design Pressure Rating:

PSF (ASD)



CERTIFICATION PROGRAM

PCL-0305

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name, one of its marks or the VSI mark for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Page 2 of 2

VSI-PCP-PCL: [April 28, 2025]

1800 Diagonal Road, Suite 545
Alexandria, VA 22314
polymericexteriors.org

Intertek
545 E. Algonquin Road
Arlington Heights, IL 60005



ACCREDITED
Product Certification
Agency

PCA-101