

Product Certification Listing

CERTIFIED BY INTERTEK



PCL – 0401

Issue Date: March 22, 2022

Revision Date: October 13, 2025

Company: Provia LLC
2150 State Route 39
Sugarcreek, OH 44681
provia.com
(330) 852-4711

ProVia LLC products are extruded, rigid PVC siding conforming to ASTM D3679, as exterior wall covering

1. LISTING

Listing Ref: Intertek Spec ID: 66776
Category: Vinyl Siding
CSI Section: 07 46 33 Plastic Siding

Standards: ASTM D3679-21 Standard Specification for Rigid Poly (Vinyl Chloride) (PVC) Siding or other as appropriate]

Certification Scheme: VSI Product Certification Program
Polymeric Exterior Products Association

2. PRODUCTS

Certified Products and Standard Design Pressure Rating			
Brand	Product	Style	Design Pressure (PSF)
Provia	Cedar Peaks 12'	Double 4-1/2 ⁽¹⁾	75
		Double 4-1/2 Dutchlap ⁽¹⁾	
	Cedar Peaks 16'	Double 4-1/2 ⁽¹⁾	75
		Double 4-1/2 Dutchlap ⁽¹⁾	
	Cedar Peaks	8" Board 'n Batten ⁽¹⁾	50
	HeartTech	Double 4 ⁽¹⁾	80
		Double 4 Dutchlap ⁽¹⁾	
		Double 5 ⁽¹⁾	
		Double 5 Dutchlap ⁽¹⁾	
	Traditional	Single 8 ⁽¹⁾	50
		6-1/2 Beaded ⁽¹⁾	50
	Ultra	Double 4 ⁽¹⁾	50
		Double 4 Dutchlap ⁽¹⁾	
		Double 5 Dutchlap ⁽¹⁾	

Page 1 of 2

VSI-PCP-PCL: [April 28, 2025]

1800 Diagonal Road, Suite 545
Alexandria, VA 22314
polymericexteriors.org

Intertek
545 E. Algonquin Road
Arlington Heights, IL 60005



Product Certification Listing

CERTIFIED BY INTERTEK

PCL – 0401

Issue Date: March 22, 2022

Revision Date: October 13, 2025



Certified Products and Standard Design Pressure Rating

Brand	Product	Style	Design Pressure (PSF)
Provia	Willowbrook	Double 4 ⁽¹⁾	69
		Double 4-1/2 ⁽¹⁾	
		Double 4-1/2 Dutchlap ⁽¹⁾	
		Double 4 Dutchlap ⁽¹⁾	
		Double 5 ⁽¹⁾	
		Double 5 Dutchlap ⁽¹⁾	
		Double 4-1/2 ⁽¹⁾	

(1) Standard design pressure rating is the maximum allowable negative wind load when installed horizontally with 1-1/2-inch long, 1/8-inch shank diameter nail with a 7/16-inch head diameter. Spacing shall be 16 inches o.c. for horizontal siding and penetrating framing.

Identification: Products covered by this listing are identified with labels that include the following:

Provia, LLC

Production lot identification

VSI Certification Mark

Product Certification Listing (PCL) No, standards and related ratings

Certified By Intertek:

ASTM D3679

Std Design Pressure Rating:

PSF (ASD)



CERTIFICATION PROGRAM

PCL-0401

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name, one of its marks or the VSI mark for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Page 2 of 2

VSI-PCP-PCL: [April 28, 2025]

1800 Diagonal Road, Suite 545
Alexandria, VA 22314
polymericexteriors.org

Intertek
545 E. Algonquin Road
Arlington Heights, IL 60005



PCA-101